

**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 20 1998
 Returned to applicant for correction JUL 08 1998
 Corrected application filed JUL 30 1998
 Map filed JUL 30 1998

The applicant Ronald L. Simek, hereby makes application for permission to change the Point of Diversion of water heretofore appropriated under Permit #52890

1. The source of water is underground.
2. The amount of water to be changed 0.73 cfs, 170.186 mga
3. The water to be used for Quasi-Municipal purposes.
4. The water heretofore permitted for Quasi-Municipal purposes.
5. The water is to be diverted at the following point within SW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 26, T.14N., R.19E., M.D.B.&M., or at a point from which the W $\frac{1}{2}$ corner of said Section 26, bears North 19° 00' 45" West, a distance of 1653.83 feet.
6. The existing permitted point of diversion is located within NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 26, T.14N., R.19E., M.D.B.&M., or at a point from which the S $\frac{1}{2}$ corner of Section 34, T.14N., R.19E., M.D.B.&M., bears South 33° 50' West, a distance of 8,083 feet.
7. Proposed place of use unchanged.
8. Existing place of use SE $\frac{1}{4}$ of Section 22; NW $\frac{1}{4}$, portions of the SW $\frac{1}{4}$, NE $\frac{1}{4}$ and N $\frac{1}{2}$ SE $\frac{1}{4}$ Section 26; SW $\frac{1}{4}$, S $\frac{1}{2}$ NW $\frac{1}{4}$, S $\frac{1}{2}$ N $\frac{1}{2}$ NW $\frac{1}{4}$, NE $\frac{1}{4}$, W $\frac{1}{2}$ SE $\frac{1}{4}$, portion of the E $\frac{1}{2}$ SE $\frac{1}{4}$, Section 27; N $\frac{1}{2}$ NW $\frac{1}{4}$, SE $\frac{1}{4}$ NW $\frac{1}{4}$, portion of the NE $\frac{1}{4}$ and NW $\frac{1}{4}$ SE $\frac{1}{4}$ Section 34; portion of the NW $\frac{1}{4}$ NW $\frac{1}{4}$ Section 35; T.14N., R.19E., M.D.M., as shown on the supporting map for Permit 52890.
9. Use will be from January 1 to December 31 of each year.
10. Use was permitted from January 1 to December 31 of each year.
11. Description of proposed works drilled well, pump, motor, storage reservoir and distribution system.
12. Estimated cost of works \$100,000.00.
13. Estimated time required to construct works three (3) years.
14. Estimated time required to complete the application of water to beneficial use five (5) years.
15. Remarks: The purpose of this application is to change the point of diversion to facilitate the use of these rights and supplemental other existing rights for quasi-municipal purposes. Existing uses include

64131

clubhouse and restaurant, operations buildings and incidental landscaping. Proposed uses include residential development of approximately 300 units.

R.O. ANDERSON ENGINEERING, INC.
By s/Robert O. Anderson
Robert O. Anderson, P.E.
P.O. Box 2294
Minden, NV 89423

Compared my/cms dl/bk

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 52890 is issued subject to the terms and conditions imposed in said Permit 52890 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 53138, 53139, 53140 and 64131 shall not exceed 170.843 million gallons annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The issuance of this permit totally abrogates Permit 52890.
(CONTINUED ON PAGE 2)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.73 cubic feet per second, **but not to exceed 170.186 million gallons annually.**

Work must be prosecuted with reasonable diligence and be completed on or before:

October 1, 2000

Proof of completion of work shall be filed before:

November 1, 2000

Application of water to beneficial use shall be filed on or before:

October 1, 2001

Proof of the application of water to beneficial use shall be filed on or before:

November 1, 2001


Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 3rd day of March, A.D. 1999



State Engineer

Completion of work filed JUN 26 2001

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____

